

P-300U EDGE/GPRS Modem



The P300U is the wireless modem with USB interface, it is a quad-band wide area wireless

network modem supporting all the different frequencies used by EDGE and GSM/GPRS networks worldwide. Users around the world can enjoy the freedom to have access to critical information wherever they are located on both EDGE and GSM/GPRS networks. The P300U provides



users with ease of use to transfer large files, download graphic heavy information, send/receive SMS messages and receive large amounts of data quickly at the same time, to stay connected during their busy day. With the P300U, users can stay connected on EDGE networks with over 200kbps speed (network support needed).

Features

- Dimension:109mm×46mm×14mm
- Weight:approx.41g
- Quad-band GSM850/EGSM900/DCS1800/PCS1900
- GPRS/EDGE multi-slot class 12 ,GPRS mobile station class B
- EDGE,GPRS and GSM circuit switched data
- Data, voice and SMS
- Support for multiple APNs
- Firmware upgrade available
- Data interface: USB specification 2.0 compliant full-speed
- Highly compact, light and powerful
- LED display ,simple integration via plug & play
- USB bus-powered ,requires no external power supply
- Operating temperature:-20 to +60°C
- Storage temperature: -30 to +85°C
- Vibration(non-operating):15g peak,10Hz to 2kHz
- Humidity:<95%(non-condensing)

System Requirements

4, Amar Industrial Estate, Behind Sankeshwar Nagar, Manpada cross Road, Bhopar Nandivli road, Dombivli East - 421204, Tel : +91 251 2870 748, Telfax: +91 251 2871737, mailto:nimbus_technologies@vsnl.net **web:** nimbus-technologies.com



- OS: windows 2000/XP
- P300U manager software for computer
- USB port
- Memory:32M
- Disk space:10MB
- Disk drive: CD ROM(installation only)
- Web explorer for internet